PATENT COOPERATION TREATY

500 Rec'd PCT/PTO 17 APR 20

From the INTERNATION APR 20

PCT/IB99/01412

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents United States Patent and Trademark Office

Box PCT

Washington, D.C.20231 **ETATS-UNIS D'AMERIQUE** 2683

	1		
Date of mailing (day/month/year)	in its capacity as elected Office		
27 March 2000 (27.03.00)			
International application No.	Applicant's or agent's file reference		
PCT/IB99/01412	92643/PRS		
International filing date (day/month/year)	Priority date (day/month/year)		
27 July 1999 (27.07.99)	28 July 1998 (28.07.98)		
Applicant			
USKELA, Sami			
OOKED (Oditi)			
The designated Office is hereby notified of its election mad	le:		
X in the demand filed with the International Preliminar	y Examining Authority on:		
	000 (25.02.00)		
	RECEIVED		
in a notice effecting later election filed with the Inter	national Bureau on:		
was constant to the cons	FEB 1 1 2002		
	Technology Center 2600		
·	realition gy contain 2000		
2. The election X was	•		
was not			
made before the expiration of 19 months from the priority Rule 32.2(b).	date or, where Rule 32 applies, within the time limit under		
	·		
	•		

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Anman QIU din Am

Telephone No.: (41-22) 338.83.38


Escelmila No - (41-22) 740 14 35



From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

Slingsby, Philip R.
PAGE WHITE & FARRER
54 Doughty Street
LONDON WC1N 2LS
GRANDE BRETAGNE



PCT

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing (day/month/year)

17.10.2000

Applicant's or agent's file reference 92643/PRS

International application No.

PCT/IB99/01412

International filing date (day/month/year) 27/07/1999

Priority date (day/month/year)

IMPORTANT NOTIFICATION

28/07/1998

Applicant

NOKIA TELECOMMUNICATIONS OY et al.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

Authorized officer

<u>M</u> 5

European Patent Office
D-80298 Munich
Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Tel.+49 89 2399-7371



PCT

REC'D	19	OCT	2000
WIPO			PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 92643/PRS	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No.	International filing date (day/month/	(year) Priority date (day/month/year)	
PCT/IB99/01412	27/07/1999	28/07/1998	
International Patent Classification (IPC) or national classification and IPC H04Q7/38			
Applicant			
NOKIA TELECOMMUNICATIONS O	Y et al.		
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.			
2. This REPORT consists of a total of	6 sheets, including this cover sh	eet.	
	s for this report and/or sheets co	description, claims and/or drawings which have entaining rectifications made before this Authority ns under the PCT).	
These annexes consist of a total of	sheets.		
3. This report contains indications relating to the following items:			
I ⊠ Basis of the report			
II ☐ Priority			
III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability			
!V \Box Lack of unity of invention	1		
V 🖾 Reasoned statement und citations and explanation	der Article 35(2) with regard to n is suporting such statement	ovelty, inventive step or industrial applicability;	
VI 🔲 Certain documents cited	i		
VII 🖾 Certain defects in the inte	ernational application		
VIII 🛛 Certain observations on	the international application		
Date of submission of the demand	Date of co	ompletion of this report	
25/02/2000	17.10.200	00	
Name and mailing address of the international preliminary examining authority:	Authorize	d officer	
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 6	Banerje	a, R	
Fax: +49 89 2399 - 4465	Telephon	9 No. +49 89 2399 7467	



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IB99/01412

I. Basis of the report

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

	the report since they do not contain amendments.j.				
	Des	scription, pages:			
	1-1	0	as originally filed		
	Cla	ims, No.:			
	1-1-	4	as originally filed		
	Dra	wings, sheets:			
	1/6-	-6/6	as originally filed		
2.	The	amendments have	e resulted in the cancellation of:		
		the description,	pages:		
		the claims,	Nos.:		
		the drawings,	sheets:		
3.			een established as if (some of) the amendments had not been made, since they have been beyond the disclosure as filed (Rule 70.2(c)):		
4.	Add	litional observations	s, if necessary:		



International application No. PCT/IB99/01412

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes:

Claims 2-14

No:

Claims 1

Inventive step (IS)

Yes: Claims No:

Claims 1-14

Industrial applicability (IA)

Yes:

Claims 1-14

No: Claims

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

A. <u>Citations and explanations in respect of paragraph V:</u>

Reference is made to the following documents:

D1: EP-A-0 695 104 D2: US-A-5 659 598

1. Document **D1** (see in particular col. 1, line 58 to col. 2, line 10; col. 4, lines 1-11; col. 9, lines 8-22; Fig. 1) discloses, according to **all** the features of **claim 1**, a method for performing handover of a mobile station (see "100" in Fig. 1) communicating in a first call via a first network (see "125" in Fig. 1) to communicate in a second call via a second network (see col. 1, line 58 to col. 2, line 2; col. 9, lines 8-11; "275" in Fig. 1), comprising the steps of generating a request for handover, establishing the second call between the first network and the mobile station via the second network (see col. 2, lines 5-9; col. 9, lines 16-20) and transferring data communication between the mobile station and the first network from the first call to the second call (see col. 2, lines 9-10; col. 4, lines 1-11; col. 9, lines 21-22).

The subject-matter of claim 1 therefore is not new, Article 33(2) PCT.

It should furthermore be noted that even if novelty of claim 1 could be argued, based on minor differences between the features of said claim and those disclosed in document D1, the subject-matter of claim 1 would not involve an inventive step, Article 33(3) PCT, having regard to the disclosure of document D1 and the normal knowledge of a person skilled in the art of handover for mobile stations.

2. Furthermore, dependent claims 2 to 14 do not appear to contain any additional features which in combination with the features of any claim to which they refer, involve an inventive step for the reason that the subject-matter of said claims is either in principle directly derivable from the disclosure of document D1 (for claim 2: see col. 4, lines 37-39; for claim 3: see col. 3, lines 13-19; col. 3, lines 50-52; col. 7, lines 13-15; "1040" in Fig. 2; for claim 5: see col. 4, lines 1-11; for claim 9: see col. 2, lines 45-55; col. 6, lines 27-31; for claims 11 and 12: see col. 1, lines

33-37; col. 6, lines 22-23; for claim 13: see col. 1, lines 38-57) or from a similar application disclosed in D2 (for claims 4 and 5: see col. 4, line 66 to col. 5, line 2; col. 6, lines 1-7; col. 6, lines 46-52; for claim 6: see col. 2, lines 29-44; col. 6, lines 59-63; for claim 8: see col. 6, lines 14-17; for claims 11 and 12: see col. 4, lines 9-16), or represents simple design details which are generally known to a person skilled in the field of handover for mobile stations.

Thus, dependent claims 2 to 14 do not meet the requirements of Article 33(3) PCT.

B. Remarks made in respect of paragraph VII:

- Claim 1 should have been drafted in the proper two-part form recommended by 1. Rule 6.3.(b),(i),(ii) PCT, having a preamble that correctly reflects the nearest prior art, being represented by the above noted document D1.
- 2. Claim 14 contains a reference to the description or drawings "figures 3 to 7". According to Rule 6.2.(a) PCT such a claim is allowable only where the reference is absolutely necessary. Such is, however, not the case here. Claim 14 should thus have been deleted.
- 3. The claims do not include reference signs in parentheses where features shown in the drawings are referred to, Rule 6.2.(b) PCT.
- In order to meet the requirements of Rule 5.1.(a),(ii) PCT, the relevant prior art, 4. i.e. the documents D1 and D2 noted above, should have been acknowledged by reference and briefly discussed in the introductory part of the description.
- 5. The opening part of the description should have been modified to bring it into agreement with any new independent claim, Rule 5.1.(a),(iii) PCT.
- 6. Following syntax error should have been corrected in the description: - page 3, lines 2-3: "... to communication ..." should have been amended in "... to communicate ...".





EXAMINATION REPORT - SEPARATE SHEET

- 7. According to the requirements of Rule 11.13 l) and m) PCT the same feature shall be denoted by the same reference sign throughout the application. This requirement is not met in view of the use of "44" on page 4, line 25 and "46" in Fig. 3 referring to the "MSC".
- 8. The reference sign "41" used in Fig. 3 and in the description (see page 4, line 23) to indicate the "cell" has been used in parallel in the description (see page 4, line 24) for indicating a different feature, i.e. the "Base-station", so that, by this double use of reference signs, an unclarity arises. A corresponding amendment therefore is necessary.

C. Remarks made in respect of paragraph VIII:

Following amendments would have been necessary to the claims, Article 6 PCT:

- in claim 14, line 2: "... to communication ..." should have been replaced by "... to communicate ...".
- in method claim 1 the formulation "comprising" should have been amended in "comprising the steps of".



- [

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

From the INTERNATIONAL BUREAU

To:

SLINGSBY, Philip, Roy Page White & Farrer 54 Doughty Street London WC1N 2LS ROYAUME-UNI



10 February 2000 (10.02.0	0)		
Applicant's or agent's file reference 92643/PRS		IMPORTANT NOTICE	
International application No.	-	late (day/month/year)	Priority date (day/month/year)
PCT/IB99/01412	27 July 1999	(27.07.99)	28 July 1998 (28.07.98)

Applicant

NOKIA NETWORKS OY et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice:

AU, CN, EP, IL, JP, KP, KR, US

Date of mailing (day/month/sport

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CU,CZ,DE,DK,EA,EE,ES,FI,GB,GD,GE,GH,GM,HR,HU,ID,IN,IS,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MD,MG,MK,MN,MW,MX,NO,NZ,OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SI,T,LTM,TR,TT,LIA,LIG,LIZ,VN,YLI,ZA,ZW

SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,UA,UG,UZ,VN,YU,ZA,ZW The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 10 February 2000 (10.02.00) under No. WO 00/07402

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the **national phase**, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

The demand must be filed directly with	competent International Preliminary Examining Authority or, if two or more Authorities are competent
with the one chosen by the applicant.	The full name or two-letter code of that Authority may be indicated by the applicant on the line below:

IPEA/ EP

PCT

CHAPTER II

DEMAND

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty and hereby elects all eligible States (except where otherwise indicated).

For	International Preliminary	y Examining Authorit	ry use only	
Identification of IPEA		Date of receipt of D	DEMAND	
Box No. I IDENTIFICATION OF THE INTERNATIONAL A		APPLICATION	Applicant's or agent's file reference 92643/PRS	
International application No.	International filing date	(day/month/year)	(Earliest) Priority date (day/month/year)	
PCT/IB99/01412 .	27 July 1999 (27.07.99)	28 July 1998 (28.07.98)	
Title of invention				
INTER-SYSTEM HANDOVE	R			
Box No. II APPLICANT(S)				
Name and address: (Family name followed by The address must include po	given name; for a legal entity, ostal code and name of country,	full official designation.	Telephone No.:	
NOKIA NETWORKS OY Keilalahdentie 4 FIN-02150 Espoo	:		Facsimile No.:	
Finland			Teleprinter No.:	
State (that is, country) of nationality:		State (that is, country) of residence:		
Finland (FI)		Finland	(FI)	
Name and address: (Family name followed by g	given name; for a legal entity, fi	ull official designation. The	address must include postal code and name of country.)	
USKELA; Sami				
Siltasaarenkatu 26 A	1			
F-00530 Helsinki Finland				
rimiano				
•			•	
		· · · · · · · · · · · · · · · · · · ·		
State (that is, country) of nationality:		State (that is, count		
Finland (FI)		Finland	(FI)	
Name and address: (Family name followed by g	given name; for a legal entity, fi	ill official designation. The	address must include postal code and name of country.)	
			•	
			2	
State (that is, country) of nationality: State (that is, country) of residence:				
State (that is, country) of nationality:	•	Jane (mai is, country	, or residence.	
Further applicants are indicated on	a continuation sheet.			

Sheet No. .2.

International application No. PCT/IB99/01412

Box No. III AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CO	RRESPONDENCE	
The following person is X agent common representative		
and X has been appointed earlier and represents the applicant(s) also for international pre-	liminary examination.	
is hereby appointed and any earlier appointment of (an) agent(s)/common represer	stative is hereby revoked.	
is hereby appointed, specifically for the procedure before the International Prelimithe agent(s)/common representative appointed earlier.	nary Examining Authority, in addition to	
Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country.)	Telephone No.:	
SLINGSBY; Philip Roy	0171 831 7929	
Page White & Farrer 54 Doughty Street	Facsimile No.:	
London	0171 831 8040	
WCln 2Ls	Teleprinter No.:	
United Kingdom	·	
Address for company dones. Made this shock how the	8955681	
Address for correspondence: Mark this check-box where no agent or common re space above is used instead to indicate a special addr ess to which correspondence	should be sent.	
Box No. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION		
Statement concerning amendments:*		
1. The applicant wishes the international preliminary examination to start on the basis of:		
the international application as originally filed		
the description X as originally filed		
as amended under Article 34	·	
the claims X as originally filed		
as amended under Article 19 (together with any accompanying statement)		
as amended under Article 34		
the drawings X as originally filed		
as amended under Article 34		
2. The applicant wishes any amendment to the claims under Article 19 to be considered as reversed.		
3. The applicant wishes the start of the international preliminary examination to be postponed until the expiration of 20 months from the priority date unless the International Preliminary Examining Authority receives a copy of any amendments made under Article 19 or a notice from the applicant that he does not wish to make such amendments (Rule 69.1(d)). (This checkbox may be marked only where the time limit under Article 19 has not yet expired.)		
Where no check-box is marked, international preliminary examination will start on the basis of the international application as originally filed or, where a copy of amendments to the claims under Article 19 and/or amendments of the international application under Article 34 are received by the International Preliminary Examining Authority before it has begun to draw up a written opinion or the international preliminary examination report, as so amended.		
Language for the purposes of international preliminary examination: Englis	h	
X which is the language in which the international application was filed.		
which is the language of a translation furnished for the purposes of international search.		
which is the language of publication of the international application.		
which is the language of the translation (to be) furnished for the purposes of international preliminary examination.		
Box No. V ELECTION OF STATES		
The applicant hereby elects all eligible States (that is, all States which have been designated and which are bound by Chapter II of the PCT)		
excluding the following States which the applicant wishes not to elect:		

Sheet No 3.		International appl	ication No.		
			PCT/IB99/	01412	
Box No. VI CHECK LIST					
The demand is accompanied by the following e Box No. IV, for the purposes of international p			erred to in		onal Preliminary uthority use only
	prejimmary ex	tanimation.		received	not received
translation of international application	:		sheets		
2. amendments under Article 34	:		sheets		
copy (or, where required, translation) of amendments under Article 19	:		sheets		
copy (or, where required, translation) of statement under Article 19	· :		sheets		
5. letter	:	1	sheets		
6. other (specify)	:		sheets	. 🗆	
The demand is also accompanied by the item(s) r	marked below	:			
1. X fee calculation sheet		4.	statement e	xplaining lack of signa	iture
2. separate signed power of attorney 5. nucleotide and or amino acid sequence listing in computer readable form					
3. copy of general power of attorney; reference number, if any: 6. other (specify):					
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE					
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the demand).					
				•	
HILL Christopher Mich	1	7:14 6 0 00	isad Da		
HILL; Christopher Michael - Authorised Representative					
•	ional Prelimin	ary Examinin	g Authority u	se only	
Date of actual receipt of DEMAND:				· · · · · · · · · · · · · · · · · · ·	
 Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 		······································			
The date of receipt of the demand is A from the priority date and item 4 or 5			months	The applicant informed acco	
4. The date of receipt of the demand is WITHIN the period of 19 months from the priority date as extended by virtue of Rule 80.5.					
Although the date of receipt of the demand is after the expiration of 19 months from the priority date, the delay in arrival is EXCUSED pursuant to Rule 82.					
	Con Internati	onal Bureau u			•

Demand received from IPEA on:



INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

	pplicant's or agent's file reference FOR FURTHER see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.			
92643/PRS	ACTION		/E- (1) D 1	
International application N	lo. International filing date	(day/montn/year)	(Earliest) Priority Date	(day/montn/year)
PCT/IB 99/01412	27/07/	1999	28/07	7/1998
NOKIA TELECOMMU	NICATIONS OY et al.			
according to Article 18.	h Report has been prepared by this Internation of the Internation of t	onal Bureau.	ity and is transmitted to	o the applicant
CD	accompanied by a copy of each prior art of		port.	
	ne language, the international search was ch it was filed, unless otherwise indicated t		of the international app	plication in the
	national search was carried out on the bas y (Rule 23.1(b)).	sis of a translation of the	international applicatio	on furnished to this
b. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international search was carried out on the basis of the sequence listing: contained in the international application in written form. filed together with the international application in computer readable form. furnished subsequently to this Authority in written form.				
furnished subsequently to this Authority in computer readble form.				
the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.				
the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished				
2. Certain claims were found unsearchable (See Box I).				
3. Unity of invention is lacking (see Box II).				
4. With regard to the ti	tle,			
X the text is approved as submitted by the applicant.				
the text has been established by this Authority to read as follows:				
5. With regard to the abstract, The text is approved as submitted by the applicant.				
the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.				
6. The figure of the dra	wings to be published with the abstract is	Figure No.	3	
X as sugg	ested by the applicant.		N	lone of the figures.
because the applicant failed to suggest a figure.				
because	this figure better characterizes the inventi	on.		



For receiving Office use only	
International Application No.	
International Filing Date	
Name of receiving Office and "PCT International Application	n"

REQUEST	
·	International Filing Date
The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.	Name of receiving Office and "PCT International Application"
·	Applicant's or agent's file reference
	(if desired) (12 characters maximum) 92643/PRS
Box No. I TITLE OF INVENTION	
INTER-SYSTEM HANDOVER	
Box No. II APPLICANT	
Name and address: (Family name followed by given name: for a designation. The address must include postal code and name of cou address indicated in this Box is the applicant's State (that is, country of residence is indicated below.)	legal entity, full official untry. The country of the wy) of residence if no State This person is also inventor.
NOKIA TELECOMMUNICATIONS OY	Telephone No.
Keilalahdentie 4	Facsimile No.
FIN-02150 Espoo Finland	·
·	Teleprinter No.
State (that is, country) of nationality:	State (that is, country) of residence:
Finland (FI)	Finland (FI)
This person is applicant all designated all designate	the United States the United States the States indicated in the Supplemental Box
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	
Name and address: (Family name followed by given name: for a designation. The address must include postal code and name of cou address indicated in this Box is the applicant's State (that is, country of residence is indicated below.) USKELA; Sami 3-25-5 Uehara Tokyo Japan	This person is: The country of the of the position of the properties of the applicant only This person is: applicant only This person is: inventor only inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality:	State (that is, country) of residence:
Finland (FI)	Japan (JP)
This person is applicant all designated all designate or the purposes of:	d States except tates of America X the United States the States indicated in the Supplemental Box
Further applicants and/or (further) inventors are indicated of	on a continuation sheet.
Box No. IV AGENT OR COMMON REPRESENTATIVE	; OR ADDRESS FOR CORRESPONDENCE
The person identified below is hereby/has been appointed to act of the applicant(s) before the competent International Authorities.	
Name and address: (Family name followed by given name: for a designation. The address must include postal co	legal entity, full official ode and name of country.)
SLINGSBY; Philip Roy	0171 831 7929
Page White & Farrer	Facsimile No.
54 Doughty Street London WClN 2LS	0171 831 8040
United Kingdom	Teleprinter No.
, .	8955681
Address for correspondence: Mark this check-box where respace above is used instead to indicate a special address to w	no agent or common representative is/has been appointed and the which correspondence should be sent.

Box i	o.V	DESIGNATION OF LATES						
The fo	llowi	ng designations are hereby made under Rule 4.9(a) (m	ark th	e appli	cable check-boxes; at least one must be marked).			
Regional Patent								
			SIP	odtos	MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland,			
		UG Uganda, ZW Zimbabwe, and any other State wi	nich i	s a C	ontracting State of the Harare Protocol and of the PCT			
\boxtimes	ĒΑ	Eurasian Patent: AM Armenia, AZ Azerbaijan,	BY E	Belaru	s, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of			
		Moldova, RU Russian Federation, TJ Tajikistan, TN of the Eurasian Patent Convention and of the PCT	/I Tui	kmen ,	istan, and any other State which is a Contracting State			
<u> </u>	EP	DK Denmark, ES Spain, FI Finland, FR France, GB U	Inited	l King	tzerland and Liechtenstein, CY Cyprus, DE Germany, dom. GR Greece, IE Ireland, IT Italy. LU Luxembourg. other State which is a Contracting State of the European			
Ø	OA	GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mal any other State which is a member State of OAPI and	i, MF la Co	Nau Intraci	Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, ritania, NE Niger, SN Senegal, TD Chad, TG Togo, and ting State of the PCT (if other kind of protection or treatment)			
Nation	al Pate	ent (if other kind of protection or treatment desired, specify o						
_								
X X		United Arab Emirates	X		Liberia			
X		Albania	X	LS	Lesotho			
X		Armenia	\boxtimes		Lithuania			
X		Austria	X	LU	Luxembourg			
	ΑŰ	Australia	\mathbf{X}	LV	Latvia			
☒	ΑZ	Azerbaijan	\boxtimes	MD	Republic of Moldova			
X	BA	Bosnia and Herzegovina	X		Madagascar			
\boxtimes	BB	Barbados	X		The former Yugoslav Republic of Macedonia			
⊠	BG	Bulgaria						
X	BR	Brazil	図	MN	Mongolia			
X	BY	Belarus	X	•	Malawi			
X	CA	Canada .	X		Mexico			
X	СН	and LI Switzerland and Liechtenstein	M 図		Norway			
[X]		China			•			
X		Cuba	X		New Zealand			
X		Czech Republic	X		Poland			
X		Germany	X	PT	Portugal			
		Denmark	X		Romania			
X		•	X		Russian Federation			
_		Estonia	X	SD	Sudan			
X	ES	Spain	X	SE	Sweden			
Ø	FI	Finland	\square	SG	Singapore			
. 🛛		United Kingdom	\square	SI	Slovenia			
X		Grenada	X	SK	Slovakia			
X		Georgia	X	SL	Sierra Leone			
X	GH	Ghana	X.	TJ	Tajikistan			
Z X		Gambia	X	TM	Turkmenistan			
⊠	HR	Croatia	X	TR	Turkey			
[2]	ΗU	Hungary	X	TT	Trinidad and Tobago			
X	ID	Indonesia		UA	Ukraine			
X	IL	Israel	Ø		Uganda			
X	IN	India	X	US	United States of America			
₩.	IS	Iceland	فيف	••				
⊠	JP	Japan	Ø	117	Uzbekistan			
×		Kenya	X		Viet Nam			
[3]		Kyrgyzstan	<u> </u>					
[3]		Democratic People's Republic of Korea			Yugoslavia			
ت	1.71	· · · · · · · · · · · · · · · · · · ·		ZA	South Africa			
	٧n	Parable of Varia	₩.		Zimbabwe			
ZZ		Republic of Korea	Che	ck-bo	exes reserved for designating States which have arry to the PCT after issuance of this sheet:			
K		Kazakhstan	_					
[Z]		Saint Lucia	닏					
K	LK	Sri Lanka	<u>u</u>	• • • •	1			

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

If the Supplemental Box is not used, this sheet should not be included in the request.

- 1. If, in any of the Boxes, the space is insufficient to furnish all the information: in such case, write "Continuation of Box No. ..." [indicate the number of the Box] and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient, in particular:
- (i) if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below;
- (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. II" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;
- (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" fas the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
- (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;
- (v) if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition." or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
- (vi) if, in Box No. VI, there are more than three earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI;
- (vii) if, in Box No. VI, the earlier application is an ARIPO application: in such case, write "Continuation of Box No. VI", specify the number of the item corresponding to that earlier application and indicate at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed.
- 2. If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.
- 3. If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to lack of novelty: in such case, write "Statement concerning non-prejudicial disclosures or exceptions to lack of novelty" and furnish that statement below.

Continuation of Box No. IV Agents continued

PALMER; Roger (GB)
RICHARDS; David John (GB)
JENKINS; Peter David (GB)
DRIVER; Virginia Rozanne (GB)
DANIELS; Jeffrey Nicholas (GB)
STYLE; Kelda Camilla Karen (GB)
NEOBARD; William John (GB)
SHACKLETON; Nicola (GB)
HILL; Christopher Michael (GB)
RUUSKANEN; Juha-Pekka (FI)

all of: Page White & Farrer
54 Doughty Street
London WC1N 2LS
United Kingdom

Tel: 0171 831 7929

Fax: 0171 831 8040

Telex: 8955681

Sheet No. ...4...

Box No. VI PRIORITY CL	AIM	Further prio	rity claime indi:ated	in the Supplemental Box.		
Filing date	Number	Where earlier application is:				
of earlier application (day/month/year)	of earlier application	national application: country	regional application:* regional Office	international application: receiving Office		
item (1) 128:July 1998 (28.07.98)	9816447.8	GB		٠.		
item (2)						
item (3)						
of the earlier application(s)	\ (onlv if the earlier a	ransmit to the International Bu pplication was filed with the is the receiving Office) identif	Office which for the	(1)		
* Where the earlier application is a Convention for the Protection of Ind				e country party to the Paris		
	NAL SEARCHING					
Choice of International Search if two or more International Search competent to carry out the internative Authority chosen; the two-letter of ISA	rching Authorities are tional search, indicate	Request to use results of ear search has been carried out by or Date (day/month/year)	requested from the Internat	to that search (if an earlier ional Searching Authority): Country (or regional Office)		
Box No. VIII CHECK LIST	: LANGUAGE OF I	FILING				
This international application co	ontains This interna	ational application is accompan	nied by the item(s) mark	ed below:		
request :	4	rate signed power of attorney				
description (excluding sequence listing part) :	, ·	of general power of attorney;	reference number, if any	y:		
claims :	10 L 11	ment explaining lack of signat				
abstract :	1 5. prior	ity document(s) identified in E	Box No. VI as item(s):			
drawings :	1	lation of international applicat				
sequence listing part of description :		rate indications concerning dep				
		eotide and/or amino acid seque	nce listing in computer i	readable form		
	23 9. ∑ other	(specify): Form 23/77 Language of filing of the				
Figure of the drawings which should accompany the abstract:	3	international application:	English			
	OF APPLICANT OR					
Next to each signature, indicate the name	ne of the person signing and	I the capacity in which the person sign	ns (if such capacity is not obvio	ous from reading the request).		
		*				
			•			
SLINGSBY; Phili	p Roy - A	uthorised Repre	sentative			
1. Date of actual receipt of the		For receiving Office use only		2. Drawings:		
international application: 3. Corrected date of actual rece	· · · · · · · · · · · · · · · · · · ·			received:		
timely received papers or dra the purported international a	awings completing application:					
Date of timely receipt of the corrections under PCT Artic	:le 11(2):			not received:		
International Searching Auth (if two or more are competer)	nority nt): ISA/		tal of search copy delaye ch fee is paid.	d .		
		International Bureau use only				
Date of receipt of the record co by the International Bureau:	ру					

PCT





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: H04Q 7/38

A1

(11) International Publication Number:

WO 00/07402

(43) International Publication Date:

10 February 2000 (10.02.00)

(21) International Application Number:

PCT/IB99/01412

(22) International Filing Date:

27 July 1999 (27.07.99)

(30) Priority Data:

9816447.8

28 July 1998 (28.07.98)

GB

(71) Applicant (for all designated States except US): NOKIA NETWORKS OY [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).

(72) Inventor; and

(75) Inventor/Applicant (for US only): USKELA, Sami [FI/FI]; Siltasaarenkatu 26 A 1, F-00530 Helsinki (FI).

(74) Agents: SLINGSBY, Philip, Roy et al.; Page White & Farrer, 54 Doughty Street, London WC1N 2LS (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: INTER-SYSTEM HANDOVER

(57) Abstract

A method for performing handover of a mobile station communicating in a first call via a first network to communication in a second call via a second network, comprising: generating a request for handover; establishing the second call between the first network and the mobile station via the second network; and transferring data communication between the mobile station and the first network from the first call to the second call.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Słovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Itały	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KР	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	ΚZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTER-SYSTEM HANDOVER

This invention relates to a system of handover for mobile stations, for example in a cellular radio telecommunications network.

Figure 1 shows schematically the configuration of a typical cellular radio telecommunications network. The network comprises a number of base-stations (BSs) 1, 2, 3 etc. Each base-station has a radio transceiver capable of transmitting radio signals to and receiving radio signals from the area of a cell 4, 5 etc. next to the base-station. By means of these signals the base-station can communicate with a mobile station (MS) 6 in that cell, which itself includes a radio transceiver. Each base station is connected to a mobile system controller (MSC) 7, which is linked in turn to the public telephone network 8. By means of this system a user of the MS 6 can establish a telephone call to the public network 8 via the BS in whose cell the MS is located.

The location of the MS could be fixed (for example if it is providing radio communications for a fixed building) or the MS could be moveable (for example if it is a hand portable transceiver or "mobile phone"). When the MS is moveable it may move between cells of the cellular radio system. As it moves from one cell (the "old cell") to another cell (the "new cell") there is a need to hand it over from communication with the BS of the old cell to the BS of the new cell without dropping the call due to a break in communications between the mobile station and the network. This process is known as handover. A need can also arise to hand over a MS whose location is fixed, for example if atmospheric conditions affect its communications with the old BS and call quality can be improved by handing it over to another BS or if there is a need to free up capacity of the old BS.

In a conventional cellular radio system handover is controlled automatically by the MSC. Handover can be initiated by the MS or the network dependent, for example, on the quality of the signalling between the MS and the old and new BSs.

When a new cellular network is being introduced it can take some time to install all the base-stations and associated apparatus. Therefore, there is a delay before the new network provides full geographical coverage. Figure 2 illustrates the situation: an existing cellular network provides full geographical coverage by means of cells 20-27 but the new cellular network provides incomplete geographical coverage by means of only cells 28 and 29. This presents a significant commercial problem for the operator of the new network. If the new network is launched for use before its geographical coverage is complete then customers will be dissatisfied by its inferior coverage to the old network. However, the cost of the infrastructure of the new network is high and no return can be gained on it until it is in use.

It has been proposed to tackle this problem by allowing mobile stations using the new network to be handed over to cells of the old network when they move outside the coverage of the new network. For instance, when a mobile station moves from 30 to 31 in figure 2 it could be handed over from the base station of cell 28 (in the new network) to that of cell 21 (in the old network). However, the base-stations of cells 28 and 21 are in different networks and are therefore not linked by a common MSC, so conventional handover processes cannot be used. One solution to this could be to modify the old network to allow it to support internetwork handover. However, modifying the old network would be expensive and inconvenient.

There is therefore a need for a new method for handover between two telecommunications networks.

According to the present invention there is provided a method for performing handover of a mobile station communicating in a first call via a first network to communication in a second call via a second network, comprising: generating a request for handover; establishing the second call between the first network and the mobile station via the second network; and transferring data communication between the mobile station and the first network from the first call to the second call.

The method preferably also comprises the step of releasing the first call after data communication between the mobile station and the first network has been transferred from the first call to the second call. The said data communication is suitably communication of user data such as speech or other communication information.

The request for handover may be generated by the mobile station or the first network. Preferably the one of those entities generating the request transmits a message to the other of those entities to request the handover.

The mobile station may originate the second call. In that case it is preferred that the first network transmits to the mobile station data indicating an identification for the handover operation. Subsequently the mobile station may transmit to the second network data indicating that identification; and when the second call has been established the second network may transmit to the first network data indicating that identification. In response to receiving the identification in this way the first network may initiate transfer of the data communication from the first call to the second call.

The first network may originate the second call. In that case it is preferred that the mobile station transmits its identification in the second network (e.g. its MSISDN in the second network) to the first network and the first network uses that identification in originating the second call.

WO 00/07402

The geographical coverage of the second network may suitably be greater than that of the first network, at least in the region of the mobile station's location.

The first and second networks may suitably be cellular telephone networks. The mobile station may suitably be capable of communicating by radio with the first and second networks. The first and second calls may both be telephone calls. The mobile station may, for example, be a radio telephone.

The present invention will now be described by way of example with reference to the accompanying drawings, in which:

figure 1 shows schematically the configuration of a typical cellular radio telecommunications network;

figure 2 shows coverage of two overlapping telecommunications networks;

figure 3 illustrates a handover process;

figure 4 illustrates information flow for a mobile station triggered handover with a mobile terminated call;

figure 5 illustrates information flow for a network triggered handover with a mobile terminated call;

figure 6 illustrates information flow for a mobile station triggered handover with a mobile originated call; and

figure 7 illustrates information flow for a network triggered handover with a mobile originated call.

The handover process illustrated in figure 3 allows a mobile station 39 to be handed over between two telecommunications networks. In this illustration the mobile station moves from cell 40 to cell 41. Cell 40 is the cell of base-station 42 in network NW1. Base-station 41 is connected to the public telephone network 43 via an MSC 44 of network NW1. Cell 41 is the cell of base-station 45 in network NW2. Base-station 45 is connected to the public telephone network 43 via an MSC 46 of network NW2.

Initially the MS 39 is in communication with BS 42 and MSC 46 by means of a call 47 using the protocol of network NW1. When the MS moves away from the BS 42 it reaches a zone 48 where cells 40 and 41 overlap and the MS can communicate with both BS 42 and BS 45. Whilst the MS is in that overlap zone 48 it can be handed over from BS 42 to BS 45. The handover can be initiated by the mobile station, for example if it detects a greater signal strength or a lesser error rate for communications with BS 45 than with BS 42. Alternatively the handover can be initiated by the network, for example if it detects that communications between base-station 42 and mobile station 39 have a signal strength that falls below or an error rate that rises above pre-set thresholds, or if it is desired to free up capacity of base station 42 by handing the MS 39 off to BS 45.

The mobile station is capable of maintaining a call with a base-station of network NW1 at the same time as maintaining a call with a base-station of network NW2. Dual band mobile stations of this general type are well-known. Such mobile stations can make the normal location updates to both networks.

Once handover has been initiated, by the mobile station or the network, a second call 49 is established between the mobile station 39 and the MSC 46. This call passes over network NW1 via the base station 45. Meanwhile the original call 47 is maintained. Thus at this stage there are two calls in progress at once from the mobile switching centre of network NW1 to the mobile station 39. Once the second call 49 has been established network NW1 routes the data formerly being carried by the original call 47 over the second call 49. Then the original call 45 can be released. The mobile station 39 then communicates with the mobile switching centre of the network NW1 to which it was originally connected only via a base station of network NW2. Thus the mobile station has in effect been handed off to network NW2, although the call is still routed through the MSC 46 of network NW1. If the call passed onward to the public telephone network 43 from the MSC 46 (rather than to another mobile station in network NW1, for example) then this arrangement could be inefficient. To overcome this there could be

provided means for optimising the routing of the call after handover has taken place, for example by routing the call to the public telephone network directly from the MSC of network NW2 rather than via that of NW1.

Figures 4 to 7 illustrate possible ways of implementing this type of handover.

Figure 4 shows the signalling used for a mobile station triggered handover when mobile terminated calls are used. Initially the mobile station is in communication with network NW1 over call 47. When the MS 39 discovers that inter-system handover is required it sends a handover request 50 to the MSC of network NW1. This handover request includes information that defines the identification number of the mobile station (its MSISDN) in network NW2. Then the MSC of network NW1 makes a new call (call 49) to that MSISDN number. This could be done using ISUP or TUP signalling. A request 51 for this new call reaches network NW2 which sets up the call with the mobile MS 39 in the usual way for a mobile terminated call - for example by means of page and page response messages 52, 53. The new call 49 is then set up (at 54). When the new call 49 has been set up network NW2 returns the normal message (e.g. ISUP connect message 55) to indicate this fact to the network NW1 that originated the call 49. The network NW1 can then issue a message (indicated as a handover_confirmation message 56) to the mobile station to confirm that handover can now be made. Then the mobile station and the network NW1 connect call 47 to call 49 (at 57) so that user data that would formerly have been carried over call 47 is carried instead over call 49. Once all user data is being carried over call 49 then call 47 can be released (at 58). Handover is then complete.

Figure 5 shows the signalling used for a network triggered handover when mobile terminated calls are used. Initially the mobile station is in communication with network NW1 over call 47. When the network NW1 discovers that inter-system handover is required it sends a handover request 60 to the mobile station 39. In response to this handover request the mobile station 39 returns an

acknowledgement signal (indicated as handover request acknowlegement signal 61) that includes information that defines the identification number of the mobile station (its MSISDN) in network NW2. Then the handover proceeds as described above in the scenario of figure 4 following receipt by network NW1 of the handover request 50. The MSC of network NW1 makes a new call (call 49) to that MSISDN number. This could be done using ISUP or TUP signalling. A request 62 for this new call reaches network NW2, which sets up the call with the mobile MS 39 in the usual way for a mobile terminated call - for example by means of page and page response messages 63, 64. The new call 49 is then set up (at 65). When the new call 49 has been set up network NW2 returns the normal message (e.g. ISUP connect message 66) to indicate this fact to the network NW1 that originated the call 49. The network NW1 can then issue a message (indicated as a handover_confirmation message 67) to the mobile station to confirm that handover can now be made. Then the mobile station and the network NW1 connect call 47 to call 49 (at 68) so that user data that would formerly have been carried over call 47 is carried instead over call 49. Once all user data is being carried over call 49 then call 47 can be released (at 69). Handover is then complete.

Figure 6 shows the signalling used for a mobile station triggered handover when mobile originated calls are used. Initially the mobile station 39 is in communication with network NW1 over call 47. When the MS 39 discovers that inter-system handover is required it sends a handover request 70 to the MSC of network NW1. The network NW1 replies with a handover request acknowledgement message 71 to the mobile station. This handover request acknowledgement message includes information that defines a handover number assigned by the network NW1 to this handover operation. The mobile station 39 then makes a new call (call 49) to the network NW2, for example by means of a CC_setup message 72. In connection with that call the mobile station reports to the network NW2 the handover number that it has been given. This could be done by means of the CC_setup message itself. The new call 49 is then set up

(at 73). When the new call 49 has been set up network NW2 returns a message (e.g. ISUP_connect message 74) to indicate this fact to the network NW1 that originated the new call 49. As part of this message or otherwise the network NW2 also reports to the network NW1 the handover number associated with the new call. On receiving this handover number from the network NW2 the network NW1 knows that the handover can be completed by means of the new call 49. The network NW1 can then issue a handover confirmation message 75 to the mobile station to confirm that handover can now be made. Then the mobile station and the network NW1 connect call 47 to call 49 (at 76) so that user data that would formerly have been carried over call 47 is carried instead over call 49. Once all user data is being carried over call 49 then call 47 can be released (at 77). Handover is then complete.

Figure 7 shows the signalling used for a network triggered handover when mobile originated calls are used. Initially the mobile station 39 is in communication with network NW1 over call 47. When the network NW1 discovers that inter-system handover is required it sends a handover request 80 to the mobile station 39. This handover request includes information that defines a handover number assigned by the network NW1 to this handover operation. The mobile station 39 then replies with a handover request acknowledgement message 81 to the network NW1 and makes a new call (call 49) to the network NW2, for example by means of a CC_setup message 82. In connection with that call the mobile station reports to the network NW2 the handover number that it has been given. This could be done by means of the CC setup message itself. The new call 49 is then set up (at 83). When the new call 49 has been set up network NW2 returns a message (e.g. ISUP connect message 84) to indicate this fact to the network NW1 that originated the new call 49. As part of this message or otherwise the network NW2 also reports to the network NW1 the handover number associated with the new call. On receiving this handover number from the network NW2 the network NW1 knows that the handover can be completed by means of the new call 49. The network NW1 can then issue a handover confirmation message 85 to

the mobile station to confirm that handover can now be made. Then the mobile station and the network NW1 connect call 47 to call 49 (at 86) so that user data that would formerly have been carried over call 47 is carried instead over call 49. Once all user data is being carried over call 49 then call 47 can be released (at 87). Handover is then complete.

One situation where this handover process could usefully be implemented is when a mobile station is being handed over from a network with incomplete geographical coverage to one with greater geographical coverage. For example, the network NW1 from which the mobile station is being handed over could be a localised network or a network in the course of construction; the network NW2 to which the mobile station is being handed over could be a more extensive or more established network. The networks could be of different core network types. One specific example is where one of the networks (e.g. network NW1) is a 2G network such as a PDC network and the other network (e.g. network NW2) is a 3G network such as an IMT-2000 network.

In the case of both mobile terminated calls (figures 4 and 5) and mobile originated calls (figures 6 and 7) there is no need for any change from conventional signalling in the network to which the mobile station is being handed over. This makes the handover method very convenient to implement since there is no need to modify the existing network. Thus only one of the networks needs specifically to support the handover method. In the case of mobile originated calls (figures 6 and 7), since the handover number could be an E.164 or E.163 number, to which the mobile station is calling, conventional signalling in network NW2 can support the return of that number to the network NW1.

When the network NW2 has a greater coverage than network NW1 it is likely that the need to hand over from network NW1 to network NW2 will be more common than the need to hand over from network NW2. Thus any inability to handover easily from network NW2 to network NW1 (i.e. in the opposite direction from that

described in detail above), for example because such handover is not supported by network NW2, may not be significant.

The present invention may include any feature or combination of features disclosed herein either implicitly or explicitly or any generalisation thereof, irrespective of whether it relates to the presently claimed invention. In view of the foregoing description it will be evident to a person skilled in the art that various modifications may be made within the scope of the invention.

CLAIMS

1. A method for performing handover of a mobile station communicating in a first call via a first network to communication in a second call via a second network, comprising:

generating a request for handover;

establishing the second call between the first network and the mobile station via the second network; and

transferring data communication between the mobile station and the first network from the first call to the second call.

- 2. A method as claimed in claim 1, comprising the step of releasing the first call after data communication between the mobile station and the first network has been transferred from the first call to the second call.
- 3. A method as claimed in claim 1 or 2, wherein the mobile station generates the request for handover.
- 4. A method as claimed in claim 1 or 2, wherein the first network generates the request for handover.
- 5. A method as claimed in any preceding claim, wherein the mobile station originates the second call.
- 6. A method as claimed in claim 5, wherein:


the first network transmits to the mobile station data indicating an identification for the handover operation;

the mobile station transmits to the second network data indicating that identification; and

when the second call has been established the second network transmits to the first network data indicating that identification.

WO 00/07402

- 7. A method as claimed in any of claims 1 to 4, wherein the first network originates the second call.
- 8. A method as claimed in claim 7, wherein the mobile station transmits its identification in the second network to the first network and the first network uses that identification in originating the second call.
- 9. A method as claimed in any preceding claim, wherein the geographical coverage of the second network is greater than that of the first network.
- 10. A method as claimed in any preceding claim, wherein the first network is an IMT-2000 network.
- 11. A method as claimed in any preceding claim, wherein the second network is a PDC network.
- 12. A method as claimed in any preceding claim wherein the first and second networks are cellular telephone networks.
- 13. A method as claimed in any preceding claim, wherein the mobile station is capable of communicating by radio with the first and second networks.
- 14. A method for performing handover substantially as herein described with reference to figures 3 to 7 of the accompanying drawings.






FIG. 2

2/6




FIG. 3




FIG. 4




FIG. 5

5/6




FIG. 6

WO 00/07402




FIG. 7

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER H04Q7/38				
	o International Patent Classification (IPC) or to both national classifica	tion and IPC			
	SEARCHED ocumentation searched (classification system followed by classification	n symbols)			
IPC 7	H04Q	,			
Documenta	tion searched other than minimum documentation to the extent that si	uch documents are included in the fields se	arched		
Electronic d	ata base consulted during the international search (name of data bas	e and, where practical, search terms used)		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.		
x	US 5 659 598 A (JAERVELAE TEUVO 19 August 1997 (1997-08-19) column 4, line 9 -column 6, line		1-3,5, 7-14		
X	EP 0 695 104 A (SIEMENS ROLM COMM 31 January 1996 (1996-01-31) the whole document	INC)	1-3,5, 9-14		
Х	EP 0 700 167 A (AT & T CORP) 6 March 1996 (1996-03-06) column 10, line 1 -column 11, lin	e 47	1,2,4, 7-14		
Furt	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.		
° Special ca	ategories of cited documents :	"T" later document published after the inte	mational filing date		
consid	ent defining the general state of the art which is not dered to be of particular relevance	or prionty date and not in conflict with cited to understand the principle or the invention	the application but eory underlying the		
"E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or "L" document which may throw doubts on priority claim(s) or					
which citatio	is cited to establish the publication date of another in or other special reason (as specified) items for an oral disclosure, use, exhibition or means	"Y" document of particular relevance; the c cannot be considered to involve an in- document is combined with one or mo ments, such combination being obvior	ventive step when the ore other such docu-		
"P" docum	family				
Date of the	actual completion of the international search	Date of mailing of the international sea	arch report		
1	.2 November 1999	22/11/1999			
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer			
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Weinmiller, J			

Patent document cited in search report		Publication date		ratent family member(s)	Publication date 12-04-1995 31-10-1996 04-05-1995 27-09-1995 07-05-1996 24-01-1996 20-04-1995
US 5659598	59598 A 19-08-1997		GB AU AU EP JP CN WO	2282730 A 673294 B 7785094 A 0673586 A 8504314 T 1115593 A 9510922 A	
EP 0695104	Α	31-01-1996	FI US	953559 A 5594781 A	26-01-1996 14-01-1997
EP 0700167	Α	06-03-1996	SG US FI US	42907 A 5406615 A 943686 A 5574775 A	17-10-1997 11-04-1995 05-02-1995 12-11-1996